

Principles of Robot Autonomy I

Fundamentals of ROS and vectorized computation in Python



Stanford
University



Announcements

- Section signup Due Today @ 12PM
 - Contact us (email, Ed, after lecture, ...) if
 1. You join the course late and missed this deadline
 2. Neither of the time slots work for you
 - Section works in groups of 3 - 4 students
- Section time assignment will be released by Today 5PM
- Apple silicon VM image is broken. A new setup guide will be released shortly.

Fundamentals of ROS



Robot Operating System

Agenda

- Working with UNIX Terminal
- ROS2
 - Workspace & package
 - Executables
 - Communication -- publication & subscription
 - Working with third-party libraries
 - Dependencies Management with `rosdep`
- Vectorized Computation with `numpy`

A Quick Intro to UNIX Terminal

- Manipulating the filesystem in terminal
 - Filesystem commands
 - `cd` – change working directory
 - `ls` – list all files and sub-directories
 - `pwd` – get current working directory
 - `mkdir` – create directory
 - `rm` – remove file (or directory with `-r`)
 - Absolute paths
 - E.g. `/home/aa274/Downloads/some_program.py`
 - Relative paths
 - E.g. `../Desktop/some_video.mp4`

A Quick Intro to UNIX Terminal

- All executables are just files with the right permission!
 - E.g. `ls -l /bin/ls` gives `-rwxr-xr-x` (note the x permissions)
- Running an executable file by specifying the path to the file
 - E.g. `/home/aa274/my_ws/awesome_program.py`
- To make a file executable
 - `chmod +x xxx.py`

A Quick Intro to UNIX Terminal

- Environment Variables
 - `export SOME_VAR=<some_value>`
 - `echo $SOME_VAR`
- The `source` command
 - `source some_script.bash`
- Change Network Setting
 - Use NAT mode for VM
 - `echo "export ROS_LOCALHOST_ONLY=1" >> ~/.bashrc`

ROS Workspace Structure

- Look at `~/tb_ws` in your local environment

ROS Workspace Structure

- autonomy_ws/
 - src/
 - <repo1>/
 - <pkg1>
 - <pkg2>
 - ...
 - <pkg3>/
 - ...
 - install/
 - build/
 - log/

Create a ROS Workspace

- *autonomy_ws/*
 - *src/* - create this directory
 - <repo1>/
 - <pkg1>
 - <pkg2>
 - ...
 - <pkg3>/
 - ...

Create a ROS Package

- autonomy_ws/
 - src/
 - <repo1>/
 - <pkg1>
 - <pkg2>
 - ...
 - <pkg3>/ - create your package here
 - ...

```
ros2 pkg create --build-type ament_cmake <package name>
```

ROS Package Layout

- `your_package/`
 - `CMakeLists.txt` -- install scripts / link libraries
 - `package.xml` -- specify dependencies
 - ~~`include/`~~
 - ~~`src/`~~

ROS Package – Add a Python Script

- some_pkg/
 - CMakeLists.txt -- install scripts / link libraries
 - package.xml -- specify dependencies
 - *scripts/*
 - heartbeat.py

Registration of Executables in UNIX

- How are programs discovered in UNIX?
 - Executable Permission
 - `chmod +x <path to file>`
 - PATH environment variable
 - `echo $PATH`
 - `export PATH=<directory_of_executable>:$PATH`
 - The Shebang required on the top of any executable file
 - `#!/usr/bin/env python3`

Using ROS as a Python Library?

- Can I just run ROS python scripts normally (`./some_script.py`)?
 - Yes, I “sort of” did it along the way! Good for prototyping single component.
 - No, not a good practice in general. Especially if you want to integrate it to run with other scripts in the autonomy stack.

Registration of Executables in ROS

- some_pkg/
 - CMakeLists.txt -- install scripts / link libraries
 - package.xml -- specify dependencies
 - scripts/
 - heartbeat.py


Registration of Executables in ROS

- some_pkg/
 - CMakeLists.txt
 - package.xml
 - scripts/
 - heartbeat.py

```
install(PROGRAMS  
        scripts/heartbeat.py  
        DESTINATION lib/${PROJECT_NAME}  
)
```

Build ROS Workspace

- autonomy_ws/ -- current working directory needs to be here
 - src/
 - install/
 - build/
 - log/



1. colcon build --symlink-install
2. source install/setup.bash

Try to Run It through ROS

- ros2 run <your_package> heartbeat.py

Turn the Script into a ROS Node

```
#!/usr/bin/env python3


import rclpy           # ROS2 client library
from rclpy.node import Node      # ROS2 node base class

class MinimalNode(Node):
    def __init__(self) -> None:
        # give it a default node name
        super().__init__("minimal_node")

if __name__ == "__main__":
    rclpy.init()          # initialize ROS client library
    node = MinimalNode()  # create the node instance
    rclpy.spin(node)       # call ROS2 default scheduler
    rclpy.shutdown()        # clean up after node exits
```

ROS Communication

- Message Types
 - Data structure that holds some information about the robot
- Publication
 - Broadcast message to the ROS network
- Subscription
 - Listens to some broadcasted channel



ROS Communication - Messages

- [ROS2 Common Interfaces](#)

- std_msgs
- geometry_msgs
- nav_msgs
- sensor_msgs
- ...

ROS Communication - Messages

- ROS2 messages are data structures that are passed between nodes
 - Message types can be nested

```
float64 x  
float64 y  
float64 z
```

[Vector3](#)

```
Vector3 linear  
Vector3 angular
```

[Twist](#)

```
Twist twist  
float64[36] covariance
```

[TwistWithCovariance](#)

```
from geometry_msgs.msg import TwistWithCovariance  
  
msg = TwistWithCovariance()  
msg.twist.angular.x = ...
```

ROS Communication - Messages

- You can create custom message types!
 - See [here](#) for some examples

ROS Communication - Publication

- Write a node that send out a “heartbeat” counter every second

```
# import the message type to use
from std_msgs.msg import Int64

# create publisher inside __init__ constructor
self.hb_pub = self.create_publisher(Int64, "/heartbeat", 10)

# publish message in a class method
msg = Int64()
msg.data = 10
self.hb_pub.publish(msg)
```

ROS Communication - Publication

- Recall from last lecture, use timer to trigger periodic events

```
# create the timer and specify period in seconds
self.hb_timer = self.create_timer(1.0, self.hb_callback)

# create the callback function triggered by a timer
def hb_callback(self) -> None:
    # publish the heartbeat here
    ...
```

ROS Communication - Publication

- ROS2 CLI tools

```
# topic inspection
ros2 topic list
ros2 topic info <topic>
ros2 topic hz <topic>
ros2 topic echo <topic>
ros2 topic type <topic>
ros2 topic pub <topic> <msg type> <msg data>
```

```
# node inspection
ros2 node list
ros2 node info <node>
```

ROS Communication - Subscription

```
# import the message type to use
from std_msgs.msg import Bool

# create subscription inside __init__ constructor
self.motor_sub = self.create_subscription(Bool, "/health/motor",
                                           self.health_callback, 10)


# create the callback function triggered by the subscription
def health_callback(self, msg: Bool) -> None:
    # stop your heartbeat if getting unhealthy sensors
    ...
```

Make the Heartbeat Stop

- Run the heartbeat node
 - `ros2 run <your_package> heartbeat.py`
- Publish an “unhealthy” sensor message
 - `ros2 topic pub /health imu std_msgs/msg/Bool data:\ false -1`
- The heartbeat stops!

How does ROS Register Python Libraries?

- asl_tb3_lib/
 - CMakeLists.txt
 - package.xml
 - asl_tb3_lib/



```
ament_python_install_package(${PROJECT_NAME})
```

How to Import ROS Libraries?

- asl_tb3_lib/
 - CMakeLists.txt
 - package.xml
 - asl_tb3_lib/
 - __init__.py
 - control.py
 - tf_utils.py
 - ...
- ```
from asl_tb3_lib.control import BaseController
from asl_tb3_lib.tf_utils import yaw_to_quaternion
```

# How are Python Libraries Discovered?

- import numpy
- import `numpiiiii?`
- from ... import ...

# How are Python Libraries Discovered?

- PYTHONPATH environment variable
  - echo \$PYTHONPATH
    - import asl\_tb3\_lib in a Python console
    - unset PYTHONPATH and run import asl\_tb3\_lib again
  - export \$PYTHONPATH=<...>:\$PYTHONPATH

# How does ROS Package Handle Dependencies

- some\_pkg/
  - CMakeLists.txt
  - package.xml
  - scripts/
    - heartbeat.py

```
<buildtool_depend>ament_cmake</buildtool_depend>
<buildtool_depend>ament_cmake_python</buildtool_depend>

<exec_depend>python3-termcolor</exec_depend>
<exec_depend>rclpy</exec_depend>
<exec_depend>std_msgs</exec_depend>
<exec_depend>asl_tb3_lib</exec_depend>
<exec_depend>asl_tb3_msgs</exec_depend>
```

# How does ROS Package Handle Dependencies

```
rosdep install --from-paths ~/autonomy_ws/src -i
```

# Vectorized Computation with numpy

- Python loops are SLOW! (5x - 100x slower than C++)
- Avoid heavy computation with huge loops

# Vectorized Computation with numpy

- Vectorized Mindset
  - Reduce loop to element-wise operations or numpy function calls
  - Array Slicing
  - Array Broadcasting

# Vectorized Computation with numpy

- Vectorized Mindset
  - Reduce loop to element-wise operations or numpy function calls
    - Use built-in operators (+, -, \*, /, @, ...)
    - Use Numpy APIs (e.g. np.sum, np.prod, np.max, ...)
  - Array Slicing
  - Array Broadcasting

# Vectorized Computation with numpy

- Vectorized Mindset

- Reduce loop to element-wise operations or numpy function calls
- **Array Slicing**

```
x = np.zeros((10, 20))
x[3, 5] # gives a scalar
x[3, :] # gives a size-20 1d array
x[:, 3] # gives a size-10 1d array
x[5:7, 10:15] # gives a (2, 5) 2d array
x[None] # gives a (1, 10, 20) 3d array
x[:, None, :] # gives a (10, 1, 20) 3d array
x[..., None] # gives a (10, 20, 1) 3d array
```

- Array Broadcasting

# Vectorized Computation with numpy

- Vectorized Mindset

- Reduce loop to element-wise operations or numpy function calls
- Array Slicing
- **Array Broadcasting**

```
x = np.zeros((10, 20, 30))
y = np.zeros(30)
z = np.zeros((20, 1))
w = np.zeros((1, 20, 1))
everything below result in (10, 20, 30) 3d arrays
x + y
x + z
x + w
```

# Reminder

- Section starts tomorrow (Sept. 27)!
- Be sure to complete Skilling training form (See pinned Ed post)
- Check Edstem after 5 PM for section time assignment

# Next Time

- State-space dynamics -- definitions and modeling

